



	DATA SHEET	
Valid from: 24.04.2020	Marking tape DYMO®	

DYMO® marking tape is specifically designed for tough industrial environments. Available in different materials and for different applications. Marking tape in vinyl, polyester, nylon – also adhesive-free marking tape. Very strong adhesion (does not include adhesive-free marking tape).



XTL version tape



Rhino version tape

Technical data

Material:	Vinyl, polyester and nylon
Recommended storage:	21 °C and 50% RH, <two years
Colour:	White, Yellow, Red, Orange, Green, Blue, Violet, Brown, Grey, Black

Mounting:

For maximum adhesive, leave label in place for at least 24h. Adhesive-free markings can be used together with FLEXIMARK® Character holders PTEF and Character holder PGS.

Other product data:

ETIM Classification:	EC001288
Approvals:	REACH, UL969
Colour combinations are suited to different control standards, e.g.:	
ANSI Z535, ISO38641, ANSI A 3.1, SO70010, ANSI606-B.	

Creator: Fleximark/LR	Document: DB83259441EN Marking tape DYMO Version: 02	Page 1 of 5
-----------------------	---	-------------

	DATA SHEET	
Valid from: 24.04.2020	Marking tape DYMO®	

ENVIRONMENT SURFACE	Heat/ Cold-resistant	UV-resistant	Oil-resistant	Water-resistant	Chemical-resistant
Cable/Wire	Nylon* Shrink tube	Vinyl* Shrink tube	Vinyl* Shrink tube	Vinyl* Shrink tube	Vinyl* Shrink tube
Curved surface	Nylon* Vinyl	Vinyl* Nylon	Vinyl*	Vinyl* Nylon	Vinyl*
Flat surface	Polyester* Nylon	Polyester* Vinyl	Polyester* Vinyl	Polyester* Vinyl	Polyester* Vinyl
Structured surface	Polyester* Nylon	Vinyl* Polyester	Vinyl* Polyester	Vinyl* Polyester	Vinyl* Polyester

Product data:

Vinyl, DYMO® Rhino

Flexibility, a strong adhesive and high resistance to chemicals. Suitable for many applications. The colour combinations are adapted to different Control Standards. (ANSI Z535, ISO3864, ANSI A 13.1, ISO7010, ANSI606-B). Laminated vinyl tape is provided with a laminate to wrap around the cable and over the text

E-nummer	Lapp article no.	Article designation	Width mm	Length mm	Colour	Text	PU
2972121	83259441	Vinyl 12 BK/YE	12	5.5	Yellow	Black	1
2972122	83259442	Vinyl 19 BK/YE	19	5.5	Yellow	Black	1
1693065	61800366	Vinyl 24 BK/YE	24	5.5	Yellow	Black	1
2972132	83259452	Vinyl 9 BK/WH	9	5.5	White	Black	1
2972133	83259453	Vinyl 12 BK/WH	12	5.5	White	Black	1
2972134	83259454	Vinyl 19 BK/WH	19	5.5	White	Black	1
1693052	61800361	Vinyl 24 BK/WH	24	5.5	White	Black	1
1693061	61800362	Vinyl 12 WH/RD	12	5.5	Red	White	1
1693062	61800363	Vinyl 19 WH/RD	19	5.5	Red	White	1
2972124	83259444	Vinyl 12 BK/OR	12	5.5	Orange	Black	1
2972125	83259445	Vinyl 19 BK/OR	19	5.5	Orange	Black	1
1693066	61800367	Vinyl 12 WH/GN	12	5.5	Green	White	1
1693067	61800368	Vinyl 19 WH/GN	19	5.5	Green	White	1
1693069	61800370	Vinyl 12 WH/BU	12	5.5	Blue	White	1
1693071	61800371	Vinyl 19 WH/BU	19	5.5	Blue	White	1
1693099	61800382	Vinyl 9 WH/BK	9	5.5	Black	White	1
1693101	61800383	Vinyl 12 WH/BK	12	5.5	Black	White	1
1693103	61800384	Vinyl 19 WH/BK	19	5.5	Black	White	1
Laminated Vinyl							
1648413	83259455	Laminated vinyl 24 BK/WH	24	5.5	White	Black	1

Polyester, DYMO® Rhino

Specially developed for tough industrial environment. Used on many different surfaces: smooth and textured. Strong resistance to solvents and chemicals. The colour combinations are adapted to different Control Standards (ANSI Z535, ISO3864, ANSI A 13.1, ISO7010, ANSI606-B).

E-nummer	Lapp article no.	Article designation	Width mm	Length m	Colour	Text	PU
2972135	83259460	Polyester 9 TR	9	5.5	Transparent	Black	1
1648405	83259461	Polyester 12 TR	12	5.5	Transparent	Black	1
1648406	83259462	Polyester 19 TR	19	5.5	Transparent	Black	1
1693107	61800386	Polyester 24 TR	24	5.5	Transparent	Black	1

Creator: Fleximark/LR	Document: DB83259441EN Marking tape DYMO Version: 02	Page 2 of 5
-----------------------	---	-------------

	DATA SHEET	
Valid from: 24.04.2020	Marking tape DYMO®	

2972114	83259424	Polyester 9 WH	9	5.5	White	Black	1
2972115	83259425	Polyester 12 WH	12	5.5	White	Black	1
2972116	83259426	Polyester 19 WH	19	5.5	White	Black	1
1648404	83259430	Polyester 24 WH	24	5.5	White	Black	1
2972117	83259427	Polyester 9 SR	9	5.5	Silver	Black	1
2972118	83259428	Polyester 12 SR	12	5.5	Silver	Black	1
2972119	83259429	Polyester 19 SR	19	5.5	Silver	Black	1
2972495	83259465	Polyester 6mm PLP-BLK-WH-6	6	6	White	Black	1
2972496	83259466	Polyester 6mm PLP-BLK-TR-6	6	6	Transparent	Black	1
2972497	83259467	Polyester 6mm PLP-BK-SR-6	6	6	Silver	Black	1

Nylon, DYMO® Rhino

Specially developed for tough industrial environment. Specially designed for labeling wires and cables. The color combinations are adapted to different Control Standards (ANSI Z535, ISO3864, ANSI A 13.1, ISO7010, ANSI606-B).

E-nummer	Lapp article no.	Article designation	Width mm	Length mm	Colour	Text	PU
2972110	83259420	Nylon 12 WH	12	3.5	White	Black	1
2972111	83259421	Nylon 19 WH	19	3.5	White	Black	1
1648407	83259431	Nylon 24 WH	24	3.5	White	Black	1
2972112	83259422	Nylon 12 YE	12	3.5	Yellow	Black	1
2972113	83259423	Nylon 19 YE	19	3.5	Yellow	Black	1

Vinyl, DYMO® XTL

Industrial multi-functional vinyl label. Ideal for indoor and outdoor labelling. Resistant to moisture, chemicals and UV. Many different colors according to OSHA, ANSI and ISO colour standards, workplace communication and security. UL969 Approved.

E-nummer	Lapp article no.	Article designation	Width mm	Length m	Colour	Text	PU
1635393	83257146	DYMO XTL Etikett VIN 12BK/TR	12	7	Transparent	Black	1
1635395	83257148	DYMO XTL Etikett VIN 24BK/TR	24	7	Transparent	Black	1
1635397	83257150	DYMO XTL Etikett VIN 54BK/TR	54	7	Transparent	Black	1
1635401	83257154	DYMO XTL Etikett VIN 41RD/TR	41	7	Transparent	Red	1
1635403	83257156	DYMO XTL Etikett VIN 12BK/WH	12	7	White	Black	1
1635404	83257157	DYMO XTL Etikett VIN 19BK/WH	19	7	White	Black	1
1635405	83257158	DYMO XTL Etikett VIN 24BK/WH	24	7	White	Black	1
1635406	83257159	DYMO XTL Etikett VIN 41BK/WH	41	7	White	Black	1
1635407	83257160	DYMO XTL Etikett VIN 54BK/WH	54	7	White	Black	1
1635416	83257166	DYMO XTL Etikett VIN 12WH/RD	12	7	Red	White	1
1635418	83257168	DYMO XTL Etikett VIN 24WH/RD	24	7	Red	White	1
1635420	83257170	DYMO XTL Etikett VIN 54WH/RD	54	7	Red	White	1
1635421	83257171	DYMO XTL Etikett VIN 12BK/OG	12	7	Orange	Black	1
1635423	83257173	DYMO XTL Etikett VIN 24BK/OG	24	7	Orange	Black	1
1635425	83257175	DYMO XTL Etikett VIN 54BK/OG	54	7	Orange	Black	1
1635426	83257176	DYMO XTL Etikett VIN 12BK/YE	12	7	Yellow	Black	1
1635427	83257177	DYMO XTL Etikett VIN 19BK/YE	19	7	Yellow	Black	1
1635428	83257178	DYMO XTL Etikett VIN 24BK/YE	24	7	Yellow	Black	1
1635429	83257179	DYMO XTL Etikett VIN 41BK/YE	41	7	Yellow	Black	1
1635430	83257180	DYMO XTL Etikett VIN 54BK/YE	54	7	Yellow	Black	1

Creator: Fleximark/LR	Document: DB83259441EN Marking tape DYMO Version: 02	Page 3 of 5
-----------------------	---	-------------

	DATA SHEET	
Valid from: 24.04.2020	Marking tape DYMO®	

1635433	83257183	DYMO XTL Etikett VIN 24WH/BU	24	7	Blue	White	1
1635435	83257185	DYMO XTL Etikett VIN 54WH/BU	54	7	Blue	White	1
1635438	83257188	DYMO XTL Etikett VIN 24WH/GN	24	7	Green	White	1
1635440	83257190	DYMO XTL Etikett VIN 54WH/GN	54	7	Green	White	1
1635451	83257201	DYMO XTL Etikett VIN 12WH/BK	12	7	Black	Violet	1
1635453	83257203	DYMO XTL Etikett VIN 24WH/BK	24	7	Black	Violet	1
1635455	83257205	DYMO XTL Etikett VIN 54WH/BK	54	7	Black	Violet	1

Vinyl laminated, DYMO® XTL

Industrial laminated marking tape for cable marking. Finished sizes with transparent protection over the text. Resistance to chemicals, oil, moisture, abrasion and bleaching. UL969 Approved (Standard for marking and labelling systems).

E-number	Lapp article no.	Article designation	Width mm	Length mm	Colour	Text	PU
1635343	83257119	DYMO XTL Etikett LAM 21x21WH	21	21	White	Black	1
1635346	83257120	DYMO XTL Etikett LAM 21x39WH	21	39	White	Black	1
1635351	83257121	DYMO XTL Etikett LAM 21x102WH	21	102	White	Black	1
1635353	83257122	DYMO XTL Etikett LAM 38x21WH	38	21	White	Black	1
1635354	83257123	DYMO XTL Etikett LAM 38x39WH	38	39	White	Black	1
1635355	83257124	DYMO XTL Etikett LAM 38x102WH	38	102	White	Black	1
1635357	83257126	DYMO XTL Etikett LAM 51x39WH	51	39	White	Black	1
1635359	83257128	DYMO XTL Etikett 51x102 OG&WH	51	102	Orange	White	1
1635361	83257129	DYMO XTL Etikett 51x102 YE&WH	51	102	Yellow	White	1
1635363	83257130	DYMO XTL Etikett 51x102 BU&WH	51	102	Blue	White	1
1635365	83257131	DYMO XTL Etikett 51x102 RD&WH	51	102	Red	White	1

Vinyl safety labels, DYMO® XTL

Preformatted industrial safety labels. Coloured headings according to OSHA, ANSI and ISO colour standards. Ideal labelling for flat surfaces. UL969 approved as a component.


E-number	Lapp article no.	Article designation	Width mm	Length mm	Colour	Text	PU
1635359	83257128	DYMO XTL Etikett 51x102 OG&WH	51	102	White	Orange	1
1635361	83257129	DYMO XTL Etikett 51x102 YE&WH	51	102	White	Yellow	1
1635363	83257130	DYMO XTL Etikett 51x102 BU&WH	51	102	White	Blue	1
1635365	83257131	DYMO XTL Etikett 51x102 RD&WH	51	102	White	Red	1

Polyester, DYMO® XTL

Industrial label for flat surfaces. Marking of panels. Transparent glossy surface on the label for professional appearance. UL969 Approved. Supplied as marking tape of 9.1 m

E-number	Lapp article no.	Article designation	Width mm	Length m	Colour	Text	PU
1635387	83257140	DYMO XTL Etikett Flat 6WH	6	9,1	White	Black	1
1635388	83257141	DYMO XTL Etikett Flat 9WH	9	9,1	White	Black	1
1635389	83257142	DYMO XTL Etikett Flat 12WH	12	9,1	White	Black	1
1635391	83257144	DYMO XTL Etikett Flat 9TR	9	9,1	Transparent	Black	1

Creator: Fleximark/LR	Document: DB83259441EN Marking tape DYMO Version: 02	Page 4 of 5
-----------------------	---	-------------

	DATA SHEET	
Valid from: 24.04.2020	Marking tape DYMO®	

Nylon, DYMO® XTL

Industrial label for flexible cable marking. Ideal for marking wires, cables and round surfaces. Tear safe material
Good resistance to stresses when installed in confined spaces. UL969 Approved

E-nummer	Lapp article no.	Article designation	Width mm	Length m	Colour	Text	PU
1635461	83257211	DYMO XTL Etikett Kabel 12BK/WH	12	5,5	White	Black	1
1635462	83257212	DYMO XTL Etikett Kabel 19BK/WH	19	5,5	White	Black	1
1635463	83257213	DYMO XTL Etikett Kabel 24BK/WH	24	5,5	White	Black	1

Note:

Pictures are not to scale and do not represent detailed images of each product.

Creator: Fleximark/LR	Document: DB83259441EN Marking tape DYMO Version: 02	Page 5 of 5
-----------------------	---	-------------